



























**LUBRICATES** 











\*BASED ON 52WK GFK TECHNICAL LUBRICANTS & CONTACT SPRAYS JUNE 2025. (LIMITED TO MASS MERCHANDISERS AND CAR ACCESSORIES SPECIALIST SECTORS ONLY)

#### **ORIGINAL**



#### **FLEXIBLE**













## **SMART STRAW**

**Smart straw** 

360 valve

Wide spray

Narrow spray



#### SPECIALIST PRODUCTS





WD-40 Specialist is a range of eight greases, cleaners and lubricating products for professionals and for industrial use.

# SPECIALIST PRODUCTS



<u> </u>							SPECIALIST		
	WD-40 SPECIFICATION  WE WANTED THE STREET OF	WD-40 SECREST COLLING WATER WA	WD-40 SPECIALIST REBREASE  WIND-40 SPECIALIST REBREASE SPECIALIST	VID-40  9'CC III.151  III.  II	WP-40 SECREST	WD-40  SECRETS  BITTON  THE PROPERTY OF THE PR	PECRUST  BUCH  C  C  C  C  C  C  C  C  C  C  C  C	TVD-40 SPECIALIST DIV LORGALIT  OF THE PROPERTY OF THE PROPERT	
	PENETRANT	CONTACT CLEANER	DEGREASER	WHITE LITHIUM GREASE	SPRAY GREASE	CUTTING OIL	SILICONE	DRY LUBRICANT	
BEST FOR	Penetrating rusted and corroded metal, loosening seized parts	Cleaning oil, dirt and dust from electrical components	Quickly removing grease, grime, oil and dirt from metals	Water and heat resistant lubrication on metal-to-metal	Long-lasting lubrication and corrosion protection with non-drip formula	Improving machine finishes on cutting and drilling equipment	Preventing parts from sticking and protecting against moisture	Enhanced lubrication to protect against corrosion and wear & tear	
STAND-OUT Quality	Very low surface tension to penetrate rust, corrosion protection <b>30%</b> at <b>72 hours</b>	Non-conductive cleaner, dielectric strength <b>33.8 kV</b>	Works immediately on contact, easy to rinse and leaves <b>no residue</b>	Corrosion protection <b>0-5%</b> at <b>72 hours</b> , extreme pressure lubrication <b>1151lb</b>	WD-40 MUP provides base of formula, <b>4-ball</b> wear test for oil 0.5mm, corrosion protection <b>0%</b> at <b>72 hours</b>	Contains extreme pressure and anti-wear additives, <b>4-ball wear</b> <b>test 0.59mm</b>	Excellent lubrication for high pressure performance in all temperatures	Leaves a dry, clear film that won't attract dirt, dust or oil	
TEMPERATURE Range	-20°C to +90°C	Use at room temperature	Use at room temperature	-25°C to +130°C	Grease <b>-20°C</b> to <b>+115°C</b> , to <b>+260°C</b> as liquid	-20°C to +160°C	-35°C to +200°C	-45°C to +90°C	
WATER Resistance	Water resistant	N/A	N/A	Highly water resistant	Highly water resistant	Water resistant	Water resistant	Water resistant	
SPRAY Application	770	779	77	770	7 7 8	770	77	7 7 0	
NSF Category	H2***	K2**	K1*	H2***	Not NSF registered	Not NSF registered	H2***	H2***	
USE ON									
ELECTRICAL Contacts		<b>▽</b>							
METAL	<b>✓</b>		<b>✓</b>	<u> </u>	<b>✓</b>	<u> </u>	<b>✓</b>	<u> </u>	
STAINLESS Steel	<b>✓</b>		<b>▽</b>	<b>▽</b>	<b>▽</b>	<b>▽</b>	<b>▽</b>	<u> </u>	
TITANIUM	<u> </u>		<u> </u>	<u> </u>	<b>✓</b>		<b>✓</b>	<u> </u>	
RUBBER	<b>▽</b>	Incidental contact			<b>✓</b>		<b>✓</b>		
WOOD							<u> </u>	<u> </u>	
GLASS									
PLASTIC	<u> </u>	Incidental contact			<u> </u>		<u> </u>		
PVC	<b>✓</b>				<b>✓</b>		<b>✓</b>	<b>✓</b>	









## **PENETRANT**



Powerful, fast acting release agent that works on contact to loosen rusted, corroded, stuck, or seized nuts, bolts, parts or fixings with ease.

- Quickly saturates deep into seams, crevices, and threads to break down any rust that bonds parts together, rapidly lubricating and freeing them
- Provides a protective, water resistant film to prevent any further rust or corrosion
- Releases corroded, stuck or seized nuts, fixings, bolts and parts
- Low surface tension formula



LOW SURFACE TENSION



LOOSENS SEIZED FIXINGS



PENETRATES OUICKLY



Recommended for: Seized Nuts, Bolts & Fixings, Locks, Chains, Hinges, Pulleys





# **CONTACT CLEANER**



Rapidly drives out dirt, dust, oil, flux residue and moisture from sensitive electrical equipment and parts with ease to keep equipment on top form.

- Fast drying, non-conductive spray that penetrates into the tightest of spaces
- Removes common surface contaminants that could cause current leakage, corrosion or component failure, leaving no residue behind
- Improves performance and reliability of electronic equipment
- Effectively removes moisture and condensation for better electrical contact
- Applicator straw and clever 360° valve allow precise working, even upside down



**CLEANS** 



NO RESIDUE



NON- CONDUCTIVE



**Recommended for:** Circuit Boards, Electrical Components, Switches, Spark Plugs





## **DEGREASER**



Solvent-based spray degreaser that quickly removes stubborn soiling such as oil, grease, dirt and grime without leaving any residue. Simply spray on the clear formula before wiping or rinsing away for a clean finish. For heavy soiling leave for a few seconds to penetrate through the dirt before wiping clean.

- Degreases oil, grease, dirt and grime
- · Works immediately on contact for unbeatable speed
- Wipes off easily
- Evaporates quickly, leaving no residue
- Reduces wear and tear on components



**FAST ACTING** 



**CLEANS** 



NO RESIDUE



**Recommended for:** Engines, Power Tools, Industrial Machinery, Gear Mechanisms





#### WHITE LITHIUM GREASE



Provides great protection for heavy-duty, metal-to-metal applications. It can be used outdoors regardless of weather and temperature.

- Provides great long-term lubrication
- Won't drip or run thanks to high viscosity formula
- Works well under extreme pressure
- Reduces friction and wear
- Lubricates metal to metal applications
- Water and heat resistant, great for outdoor use



LUBRICATES



WATER RESISTANT



**HEAT RESISTANT** 



**Recommended for:** Bearings, Winches, Conveyors, Latches, Tracks & Runners





# SPRAY GREASE



Provides long-lasting lubrication and corrosion protection for all metal surfaces. WD-40 Multi-Use Product provides the base for this lubricant, and the non-drip formula has excellent adhesion and sealing properties.

- · Long lasting non-drip formula stays where it's applied
- Can be applied on vertical surfaces
- Strong adhesion and sealing properties
- Safe to use on all metal surfaces, with virtually limitless applications
- Wide temperature range; use as a grease up to +115°C and as a liquid to +260°C



LUBRICATES



EXCELLENT ADHESION



WATER RESISTANT



Recommended for: Gear Mechanisms, Chains, Locks, Screws, Pipes, Taps





## **CUTTING OIL**



Designed to improve the performance and extend the life of your cutting and drilling equipment. Suitable for most metals including stainless steel, not for use on titanium.

- Specially formulated to maximise the life of cutting and drilling equipment
- Lubricates to reduce tip welding
- Works under extreme pressure
- Improves machine finishes
- Prevents pitting and metal seizures
- Improves performance and extends the life of tools



**PROTECTS** 



**LUBRICATES** 



WON'T ATTRACT DIRT



**Recommended for:** Hand Cutting Machinery, Power Cutting Equipment, Power Drills





## SILICONE



Provides excellent protection and lubrication, while prolonging the life of elements such as seals & washers.

- Improves the movement of components while reducing friction and wear and tear on parts
- Provides excellent waterproofing and lubrication to prevent parts from cracking and ageing
- Creates water resistant seal to protect against moisture
- Works on many different materials such as metal, rubber, plastic and wood



LUBRICATES



PROTECTS AGAINST MOISTURE



PREVENTS STICKING



**Recommended for:** Belts, Conveyors, Door Runners, Door Seals





#### DRY LUBRICANT



Excellent lubricant that provides protection against corrosion and wear & tear. The dry formula makes it ideal for enclosed areas that need lubricating such as locks.

- Water-resistant formula that protects against corrosion
- Provides enhanced lubrication to reduce wear & tear
- Leaves a dry, clear film that won't attract dirt, dust or oil
- Works on many different materials such as metal, plastic and glass



LUBRICATES



WATER RESISTANT



**CLEANS DIRT AND MUD** 



**Recommended for:** Locks, latches, pliers, window tracks, conveyor belts, metal extrusions













#### HAVE YOU TRIED THE COMPLETE RANGE?



FIND OUT MORE









